


## 9006XS

OSRAM ORIGINAL LINE | Halogen frontlyslamper for biler



### Bruksområder

- Frontlykt

### Produktfordeler

- OEM-kvalitet
- Bredt produktspekter
- Pålitelig kvalitet

### Produktegenskaper

- Originale reservedeler

## Produkt datablad

### Teknisk data

#### Product information

Ordreferanse	9006XS
Product type (off-road vs. on-road)	On-road
Application (Category and Product specific)	Halogen headlight lamp

#### Elektriske data


Power input	62 W <sup>1)</sup>
Nominell spenning	12,0 V
Nominell effekt	51,00 W
Testspenning	13,2 V

<sup>1)</sup> Maksimum

#### Photometrical data

Lysstrøm	1095 lm
Luminous flux tolerance	±15 %
Fargetemperatur	3200 K

#### Mål og vekt



Diameter	12,0 mm
Produktvekt	15,50 g
Lengde	80,3 mm

#### Levetid

Lifespan B3	860 h
Lifespan Tc	1720 h

#### Ytterligere produktdata

## Produkt datablad

Sokkel (standard betegnelse)	P22d
------------------------------	------

### Sertifikater og standarder

ECG kategori	HB4
--------------	-----

### Landsspesifikke kategoriseringer

Ordreferanse	9006XS
--------------	--------

---

### Lokal spesifikk informasjon

Produkt kode	METEL-kode	SEG-No.	STK-Number	UK Org
4008321554284	OSRA9006XS	-	-	-

## Produkt datablad

### Logistikk data

Product kode	Produkt beskrivelse	Forpakkings enhet (stk/enhet)	Dimensjoner (lengde x bredde x høyde)	Volum	Brutto vekt
4008321554284	9006XS		46 mm x 46 mm x 68 mm	0.14 dm <sup>3</sup>	33.10 g
4008321554291	9006XS	Bundle 10	97 mm x 71 mm x 240 mm	1.65 dm <sup>3</sup>	235.00 g
4008321554307	9006XS	NO: VS 100	485 mm x 160 mm x 250 mm	19.40 dm <sup>3</sup>	2603.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

### Ansvarsfraskrivelse

Endres uten varsel. Sørg alltid for å bruke den nyeste versjonen.