


## 9007

OSRAM ORIGINAL LINE | Halogen frontlyslamper for biler



### Bruksområder

- Frontlykt

### Produktfordeler

- OEM-kvalitet
- Bredt produktspekter
- Pålitelig kvalitet

### Produktegenskaper

- Originale reservedeler

## Teknisk data

### Product information

Ordreferanse	9007
Product type (off-road vs. on-road)	On-road
Application (Category and Product specific)	Halogen headlight lamp

### Elektriske data


Power input	70 / 60 W <sup>1)</sup>
Nominell spenning	12,8 V
Nominell effekt	65/55 W
Testspenning	12,8 V

<sup>1)</sup> Maksimum

### Photometrical data

Lysstrøm	1000 lm
Luminous flux tolerance	±10 / ±10 %

### Mål og vekt



Diameter	16,0 mm
Produktvekt	34,00 g
Lengde	95,0 mm

### Levetid

Lifespan B3	250 h
Lifespan Tc	500 h <sup>1)</sup>

<sup>1)</sup> B50 = gjennomsnittlig levetidForklaring:Lyskilde med 1 glødetråd f.eks. 100 Lyskilde med 2 glødetråd f.eks. 100/300

### Ytterligere produktdata

## Produkt datablad

Sokkel (standard betegnelse)	PX29t
------------------------------	-------

### Sertifikater og standarder

ECG kategori	HB5
--------------	-----

### Landsspesifikke kategoriseringer

Ordreferanse	9007
--------------	------

## Produkt datablad

### Logistikk data

Product kode	Produkt beskrivelse	Forpakkings enhet (stk/enhet)	Dimensjoner (lengde x bredde x høyde)	Volum	Brutto vekt
4050300148816	9007		47 mm x 47 mm x 106 mm	0.23 dm <sup>3</sup>	44.00 g
4050300148823	9007		98 mm x 119 mm x 249 mm	2.90 dm <sup>3</sup>	462.00 g
4050300148830	9007	NO: VS 200	550 mm x 395 mm x 250 mm	54.31 dm <sup>3</sup>	9250.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

### Ansvarsfraskrivelse

Endres uten varsel. Sørg alltid for å bruke den nyeste versjonen.